

## **SportKAT™ (Korebalance®) Kinesthetic Ability Trainer™ Bibliography**

### **1. FALL PREVENTION AND THE ELDERLY**

Crayford C., Fleming K., Karabatsos P., Volkman C., Williams K., Newton R. Normative Values for Healthy Young and Elderly Adult Population on the KAT Balance System. *Issues on Aging*, 1995;18(1).

Green J., MD, PhD, Warner J., MD, Leon-Barth C., MD, Benzette A., DO, Griffin R., RBT, Bowles R., BS, Preventing Painful Falls in Older Aged Persons. *Manuscript of Neuroscience Institute, P.A., Jacksonville, FL.*, 2004.

M. Koch, DC. Striking a Balance. *Advance for Directors in Rehabilitation*, Dec., 2006: 39.

Maki B.E., Holliday P.J., and Trooper A.K. A Prospective Study of Postural Balance and Risk of Falling in an Ambulatory and Independent Elderly Population. *Journal of Gerontology*, 1994; 49(2): 72-84.

McCurry A.M. Do Elderly Balance Disorder Patients Benefit From the SportKAT Machine? *Manuscript of Missouri Western State University*, 2009. (*Website: [webclearinghouse.net](http://webclearinghouse.net)* ).

MinersA., Hume P., Steele J., Curtis O. Static and Dynamic Balance Assessment of the Elderly. Is the Kinesthetic Ability Trainer Appropriate? – *Presented at the Department of Biomedical Science Seminar/ Symposium*; 1995.

Miners A., Hume P., Steele J., and Curtis O. Static and Dynamic Balance Assessment of the Elderly Using the Kinesthetic Ability Trainer.- Submitted to: *Australian Association of Gerontology*; 1995.

Nordt W.E, M.D.; Sachatello S.A.; Plotkin E.S. The Effects of Balance Board Interventions using SportKAT To Reduce Falls in the Elderly. The Manuscript from SportKAT LLC Archive.

Rezmovitz J.J., Rhodes E.C., Donnely M., Elliot J., Martin A.M., Taunton J.E., FASCM. Effect of neuromuscular training program on balance in older adults. *Medicine & Science in Sports & Exercise*. 2002; 34 (5): S.271.

### **2. BALANCE ASSESSMENT AND TRAINING**

Cetin N., Bayramoglu M., Aytar A., Surenkok O., Yemisci O.U. Effects of Lower Extremity and Trunk Muscle Fatigue on Balance. *The Open Sports Medicine Journal*. 2008; 2: 16-22.

Con H. Relationship Between Balance Ability, Training and Sports Injury Risk. *Sports Medicine*. 2007; 37 (6): 547-556.

France P.E., Derscheid G., Irragang J., Mlone T., Peterson R., Tippet S., Wilk K. Preliminary Clinical Evaluation of the BREG (OEM) KAT. Effects on Training in Normals. *Isokinetics and Exercise Science*, 1992; 2 (3).

Gunendi Z., Ozyemisci-Taskiran O., Uzun M.K., Gokhan T.O., Demisroy N. Reliability of quantitative static and dynamic balance tests on kinesthetic ability trainer and their correlation with other clinical balance tests. *Journal of Physical Medicine and Rehabilitation Sciences*. 2010; 13 (1): 001-005.

Guskiewicz K.M., Perrin D.H. Research and Clinical Applications of Assessing Balance. *Journal of Sport Rehabilitation*, 1996; 5 (1): 45-63.

M.E. Howard, OPA-C, OTC, ATC\*, P.W. Cawley, OPA, RT\*\*, G.M. Losse, MD\*, P. Justel, PT\*\*\*. Balance Assessment: An Investigation Utilizing an Instrumented Unstable Platform. Rev.3. 1995: 31 p. Study performed: \*) OASIS Sport Medical Group, San Diego, CA; \*\*) Smith and Nephew DonJOy Biomechanics Research Laboratory, Carlsbad, CA; \*\*\*) HealthSouth Sports Medical & Rehab Center, San Diego, CA. – Archive SportKAT, LLC.

Koch M.J., DC. The Korebalance Guide to Vestibular Restoration. 2007. Naperville, IL. 60565: 63 p.

Tuzun, E.H. Daskapan, A., Aytar, A. Bastug, Z.O. Eker, L. Reliability of Balance Tests Performed on the Kinesthetic Ability Trainer (KAT 3000) in School Children. *Fyzioterapi Rehabilitasyon*. 2007; 18 (2):125.

Yaggie J., Armstrong J. Effects of Lower Extremity Fatigue on Indices of Balance. *J. Sport Rehabil*. 2004; 13: 312-322.

Treatment for balance disorders – Product Marketplace – SportKAT 3000. *Ear, Nose & Throat Journal*. Sept., 2002.

### 3. VESTIBULAR/HEAD INJURY

Gok H., Geler-Kulcu D., Alptekin N., Dincer G. Efficacy of treatment with a kinesthetic ability training device on balance and mobility after stroke: a randomized controlled study. *Clinical Rehabilitation*, 2008; 22 (10-11): 922-930.

### 4. LOWER EXTREMITY INJURIES

Denti M., Randelli P., Lo V.D. et al. Motor control performance in the lower extremity: normals vs. anterior cruciate reconstruction knees 5-8 years from the index surgery. *Knee Surg. Sports Traumatol. Arthrosc.* 2000; 8: 296-300.

Hansen M.S., Dieckmann B., Jensen K., Jakobsen B.W. The reliability of balance tests performed on the kinesthetic ability trainer (KAT 2000). *Knee Surg. Sports Traumatol. Arthrosc.* 2000; 8 (3): 180-5.

Howard M.E., OPA, ATC; Cawley P., OPA, RT; and Losse G.M., MD. The Effect of Early Neurosensory Training Following ACL Reconstruction. - *OASIS Sport Medical Group*; December 6, 1995.

Gunendi Z., Ozyemisci-Taskiran O., Demisroy N. The effect of 4-week aerobic exercise program on postural balance in postmenopausal women with osteoporosis. *Rheumatol Int.* 2008 Oct 28 (12): 1217-1222.

Jerosch J., Pfatt G., Thorwesten L., Schoppe R. Effect of a proprioceptive training program on sensorimotor capacities of the lower extremity in patients with anterior cruciate ligament instability. *Sportverletz Sportschaden.* 1998 Dec; 12 (4): 121-130. (Article in German).

Losse G.M., MD, Howard M.E., OPA, ATC, Cawley P., OPA, Justel P., PT, and Douthit B.E., MD. Correlation of Lower Extremity Injury to Balance Indices: An Investigation Utilizing an Instrumented Unstable Platform. - *OASIS Sport Medical Group*; 1995.

Risberg M.A., Holm I., Myklebust G., Engebretsen L. Neuromuscular Training Versus Strength Training During First 6 Months After Anterior Cruciate Ligament Reconstruction: a Randomized Clinical Trial. *Physical Therapy.* 2007; 87 (6): 737-750.

Surenkok O., Aytar A., Tüzün E.H., Akman M.N. Cryotherapy impairs knee joint position sense and balance. *Isokinetics and Exercise Science.* 2008; 16 (1): 69-73.

Using KAT 2000 for post-surgical rehabilitation (p.: 40-46) in the book: II. Orthopädische Klinik der Hessing Stiftung Augsburg Chefarzt Priv. Doz. Dr. med. Th. Naumann. Veränderungen des Koordinationsvermögens durch Kreuzbandruptur, Operation, Orthese und Training Eine klinisch experimentelle Studie an gesunden und Verletzten Kniegelenken. 2005; 130 p. (in German).

## 5. ATHLETICS

Howard C.E., Crawley P.W., Losse G.M., and Justel P. Correlation of Static and Dynamic Balance Indices to Injury History, Performance Criteria, and Physical Findings

in 595 Elite College Players ( 1993 & 1994 NFL Annual Physical examinations and Workouts). *OASIS Sport Medical Group*; 1994.

Holm I., Ph.D., and Vollestad N., Ph.D. Significant Effect of Gender on Hamstring-to-Quadriceps Strength Ratio and Static Balance in Prepubescent Children From 7 to 12 Years of Age. *The Am. J. of Sports Medicine*. 2008, Oct.; 36 (10):2007-2013.

Myklebust G. Fageksamnen Dr. scient studiet. Hva er sansemotorisk funksjon, og hvilke effekter har trening av sansemotorisk funksjon? *Norges Idrettshøgskole*, Juni 2002; 42 p. (Article in Norwegian. Use SportKAT 2000 for proprioception and balance rehabilitation and training on pp. 22-24).

## 6. VA & MILITARY

On the Cutting Edge of Research and Treatment. *Gov. Recreation & Fitness*. 2008; May.

From Sports Medicine to Deployed Care. Capt. Joe Moore Helps Steer Navy into 21<sup>st</sup> Century. *Gov. Recreation & Fitness*. 2008; June.

NMCSA A Pioneer in Treating Balance Disorders. *Gov. Recreation & Fitness*. 2009; June.